# DB2 MOCK TEST

This section presents you various set of Mock Tests related to **DB2**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



## DB2 MOCK TEST III

**Q 1 - Suppose we added a new column by using ALTER statement, where the column will be added?**

A - Starting of the table

B - End of the table

C - Middle of the table

D - None of these

**Q 2 - How you will count the number of rows from a table TAB?**

A - SELECT COUNT FROM TAB

B - SELECT MAX * FROM TAB

C - SELECT COUNT * FROM TAB

D - None of these

**Q 3 - What is the input to the bind process?**

A - DBRM

B - SQL

C - Table Name

D - None of these

**Q 4 - If a transaction has an exclusive lock on some data, then what are the other types of lock which can be applied on it?**

A - Shared Lock

B - Update Lock

C - No other locks can be applied

D - None of these

**Q 5 - Which isolation level ensures highest data integrity?**

A - Repeatable Read

B - Read Stability

C - Cursor Stability

D - Uncommitted Read

**Q 6 - In which isolation level phantom rows can occur?**

A - Repeatable Read

B - Read Stability

C - Both A & B

D - None of these

**Q 7 - Which isolation level provides maximum concurrency?**

A - Repeatable Read

B - Read Stability

C - Cursor Stability

D - Uncommitted Read

**Q 8 - Which command is used to commit a transaction in CICS program?**

A - AUTO COMMIT

B - SYNCPOINT

C - ROLLBACK

D - COMMIT

**Q 9 - Which utility provides statistical information such as the number of pages and rows and stores them in Catalog tables?**

A - RUNSTATS

B - REORG

C - RECOVER

D - COPY

**Q 10 - Which utility reclaims space from pages when some rows were deleted?**

A - RUNSTATS

B - REORG

C - RECOVER

D - COPY

**Q 11 - Which utility is used to restore the table space?**

A - RUNSTATS

B - REORG

C - RECOVER

D - COPY

**Q 12 - Which utility is take the backup of table spaces and index spaces?**

A - RUNSTATS

B - REORG

C - RECOVER

D - COPY

**Q 13 - Which utility is used to load data into a table from a sequential file?**

A - RUNSTATS

B - REORG

C - RECOVER

D - LOAD

**Q 14 - How the locks can be classified?**

A - Size

B - Duration

C - Mode

D - All of these

**Q 15 - If a transaction takes a Shared lock on some data, then other transactions can get what type of lock?**

A - Shared

B - Update

C - Exclusive

D - Both A & B

## Q 16 - If a transaction takes a Update lock on some data, then other transactions can get what type of lock?

A - Shared

B - Update

C - Exclusive

D - Both A & B

## Q 17 - What action DB2 takes when a program abends?

A - Auto Rollback

B - Auto Commit

C - Acquire

D - Release

## Q 18 - What action DB2 takes when a program executes successfully?

A - Auto Rollback

B - Auto Commit

C - Acquire

D - Release

## Q 19 - Which command is use to drop an existing plan?

A - DROP

B - FREE

C - DELETE

D - None of these

## Q 20 - When a table is dropped all the synonyms get dropped automatically. State whether true or false?

A - False

B - True

## Q 21 - When a table is dropped all the alias get dropped automatically. State whether true or false?

A - False

B - True

**Q 22 - Log files consist of error logs, which are used to recover from application errors. The logs keep the record of changes in the database. State whether true or false?**

A - False

B - True

**Q 23 - One tablespace is associated with one bufferpool. The size of bufferpool and tablespace must be same. State whether true or false?**

A - False

B - True

**Q 24 - Can we add columns to add table after defining it?**

A - No

B - Yes

**Q 25 - Static SQL is compiled and optimized prior to its execution where as dynamic SQL is compiled and optimized during execution. State whether true or false?**

A - False

B - True

# ANSWER SHEET

| Question Number | Answer Key |
| --- | --- |
| 1 | B |
| 2 | C |
| 3 | A |
| 4 | C |
| 5 | A |
| 6 | B |
| 7 | D |
| 8 | B |
| 9 | A |
| 10 | B |
| 11 | C |
| 12 | D |
| 13 | D |

| | |
|---|---|
| 14 | D |
| 15 | D |
| 16 | A |
| 17 | A |
| 18 | B |
| 19 | B |
| 20 | B |
| 21 | A |
| 22 | B |
| 23 | B |
| 24 | B |
| 25 | B |

Loading [MathJax]/jax/output/HTML-CSS/jax.js