
This section presents you various set of Mock Tests related to **PHP**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



## Q 1 - Which of the following is correct about constants?

- A Unlike with variables, you do not need to have a constant with a \$.
- B Only scalar data (boolean, integer, float and string) can be contained in constants.
- C Both of the above.
- D None of the above.

## Q 2 - Which of the following is correct about constants vs variables in PHP?

- A There is no need to write a dollar sign (\$) before a constant, where as in Variable one has to write a dollar sign.
- B Constants cannot be defined by simple assignment, they may only be defined using the define() function.
- C Both of the above.
- D None of the above.

## Q 3 - Which of the following is correct about constants vs variables in PHP?

- A Constants may be defined and accessed anywhere without regard to variable scoping rules.
- B Once the Constants have been set, may not be redefined or undefined.
- C Both of the above.
- D None of the above.

Q 4 - Which of the following magic constant of PHP returns current line number of the file?		
ALINE_		
BFILE_		
CFUNCTION_		
DCLASS_		
Q 5 - Which of the following magic constant of PHP returns full path and filename of the file?		
ALINE_		
BFILE_		
CFUNCTION_		
DCLASS_		
Q 6 - Which of the following magic constant of PHP returns function name?		
ALINE_		
BFILE_		
CFUNCTION_		
DCLASS_		
Q 7 - Which of the following magic constant of PHP returns class name?		
ALINE_		
BFILE_		
CFUNCTION_		
DCLASS_		
Q 8 - Which of the following magic constant of PHP returns class method name?		
AMETHOD_		
BFILE_		
CFUNCTION_		
DCLASS_		
DOLAGG_		
Q 9 - Which of the following keyword terminates the for loop or switch statement and transfers execution to the statement immediately following the for loop or switch?		

B - continue		
Q 10 - Which of the following keyword causes the loop to skip the remainder of its body and immediately retest its condition prior to reiterating?		
A - break		
B - continue		
Q 11 - Which of the following array represents an array with a numeric index?		
A - Numeric Array		
B - Associative Array		
C - Multidimentional Array		
D - None of the above.		
Q 12 - Which of the following array represents an array with strings as index?		
A - Numeric Array		
B - Associative Array		
C - Multidimentional Array		
D - None of the above.		
Q 13 - Which of the following array represents an array containing one or more arrays?		
A - Numeric Array		
B - Associative Array		
C - Multidimentional Array		
D - None of the above.		
ANSWER SHEET		
Question Number	Answer Key	
1	C	
2	С	
<sub>1</sub> —	_	

С

A - break

3

4	Α
5	В
6	С
7	D
8	Α
9	Α
10	В
11	Α
12	В
13	С