


PHP MOCK TEST

This section presents you various set of Mock Tests related to **PHP**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



Q 1 - Which of the following operator is used to concatenate two strings?

- A - .
- B - +
- C - append
- D - None of the above.

Q 2 - Which of the following function is used to get length of a string?

- A - size()
- B - strlen()
- C - length
- D - None of the above.

Q 3 - Which of the following function is used to locate a string within a string?

- A - search()
- B - locate()
- C - strpos()
- D - None of the above.

Q 4 - Which of the following function is used to get environment variables in PHP?

- A - search()
- B - environment()
- C - env()
- D - getenv()

Q 5 - Which of the following variable is used to get user's browser and operating system details in PHP?

- A - HTTP_USER_AGENT
- B - USER
- C - AGENT
- D - None of the above.

Q 6 - Which of the following variable is used to generate random numbers using PHP?

- A - srand()
- B - rand()
- C - random()
- D - None of the above.

Q 7 - Which of the following variable is used for the PHP script name?

- A - \$_PHP_SELF
- B - \$SELF
- C - \$PHP
- D - None of the above.

Q 8 - Which of the following function sorts an array in reverse order?

- A - rsort()
- B - sort()
- C - shuffle()
- D - reset()

Q 9 - Which of the following function is used to redirect a page?

- A - redirect()
- B - header()
- C - reflect()
- D - None of the above.

Q 10 - Which of the following is used to get information sent via get method in PHP?

- A - \$_GET
- B - \$GET
- C - \$GETREQUEST
- D - None of the above.

Q 11 - Which of the following can be used to get information sent via get/post method in PHP?

- A - \$_REQUEST
- B - \$REQUEST
- C - \$REQUEST_PAGE
- D - None of the above.

Q 12 - Which of the following function creates an array?

- A - array()
- B - array_change_key_case()
- C - array_chunk()
- D - array_count_values()

Q 13 - Which of the following function can be used to get an array in the reverse order?

- A - array_reverse()
- B - array_search()
- C - array_shift()
- D - array_slice()

ANSWER SHEET

Question Number	Answer Key
-----------------	------------

1	A
2	B
3	C
4	D
5	A
6	B
7	A
8	A
9	B
10	A
11	A
12	A
13	A