SAP WEBI MOCK TEST

This section presents you various set of Mock Tests related to **SAP Webi**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.

SAP WEBI MOCK TEST II

Q 1 - Which Object is retrieved from the Input File Repository Server when you refresh a Web Intelligence document?

A - Universe

B - BEx

C - Publication

D - Hyperlink

E - Analysis View

Q 2 - Which of the following server is used to view a WebI document, once it is processed by Webi server?

A - Adaptive Job Server

B - Adaptive Processing Server

C - Web Application server

D - Repository Server

Q 3 - Why do we use query filters in a Webi report?

A - Custom Calculations

B - User Inputs

C - Limited data in report

D - Allow multiple data sources

Q 4 - Which of the following is not an Operand in a query filter in query panel?

A - LOV's

B - Prompt

C - Constant

D - Variable

E - Result from Other Query

Q 5 - Which of the following is not a type of query filter in query panel?

A - Predefined Filters

B - Custom Filters

C - Quick Filters

D - Report Filters

E - Prompts

Q 6 - Which of the following tool is used to manage user rights in BO repository?

A - IDT

B - CMS

C - CMC

D - Adaptive Server

E - Web Intelligence Server

Q 7 - Which of the following is incorrect about hierarchies?

A - A hierarchy represents parent child relationship in Universe.

B - It allows you to drill up or drill down in the report to next level.

C - In hierarchical data sources hierarchies are associated with a dimension.

D - It allows you to perform aggregation on fact values

Q 8 - When setting up the query properties, which of the following data source doesn't support retrieving duplicate rows?

A - Relational .unx

B - OLAP

C - BEx

D - All of the above

Q 9 - Which of the following can be used to create subqueries?

A - Query Panel

B - Data Panel

C - Tool Panel

D - Report Panel

Q 10 - Which of the following is not true about Context?

A - Contexts are defined in Universe

B - Contexts are defined in Report

C - You can combine objects using Contexts

D - Context can be used to combine objects to create a query

Q 11 - While creating a Webi document, how many blocks can be used?

A - 1

B - 2

C - 3

D - 4

E - No limit

Q 12 - Which of the following represent a calculation Context?

A - Logical

B - Conditional

C - Input

D - Operator

ANSWER SHEET

Question Number	Answer Key
1	A
2	C
3	C
4	D
5	D
6	C
7	D
8	C

9	A
10	B
11	E
12	C